


**Art. 200/G**

Tee ISO standard decapati  
 ISO expanding tee pickled


D	B	2 MM AISI 304 COD.ART.	3 MM AISI 304 COD.ART.	4 MM AISI 304 COD.ART.	2 MM AISI 316 COD.ART.	3 MM AISI 316 COD.ART.	4 MM AISI 316 COD.ART.
17,1	30,0	200G2-17.4	200G3-17.4		200G2-17.6	200G3-17.6	200G4-17.6
21,3	25,4	200G2-21.4	200G3-21.4		200G2-21.6	200G3-21.6	200G4-21.6
26,9	28,5	200G2-26.4	200G3-26.4		200G2-26.6	200G3-26.6	200G4-26.6
33,7	38,1	200G2-33.4	200G3-33.4	200G4-33.4	200G2-33.6	200G3-33.6	200G4-33.6
42,4	47,8	200G2-42.4	200G3-42.4	200G4-42.4	200G2-42.6	200G3-42.6	200G4-42.6
48,3	57,1	200G2-48.4	200G3-48.4	200G4-48.4	200G2-48.6	200G3-48.6	200G4-48.6
60,3	63,5	200G2-60.4	200G3-60.4	200G4-60.4	200G2-60.6	200G3-60.6	200G4-60.6
76,1	76,2	200G2-76.4	200G3-76.4	200G4-76.4	200G2-76.6	200G3-76.6	200G4-76.6
88,9	85,9	200G2-88.4	200G3-88.4	200G4-88.4	200G2-88.6	200G3-88.6	200G4-88.6
101,6	105,0	200G2-101.4	200G3-101.4	200G4-101.4	200G2-101.6	200G3-101.6	200G4-101.6
114,3	105,0	200G2-114.4	200G3-114.4	200G4-114.4	200G2-114.6	200G3-114.6	200G4-114.6
129	124,0	200G2-129.4	200G3-129.4	200G4-129.4	200G2-129.6	200G3-129.6	200G4-129.6
139,7	124,0	200G2-139.4	200G3-139.4	200G4-139.4	200G2-139.6	200G3-139.6	200G4-139.6
168,3	143,0	200G2-168.4	200G3-168.4	200G4-168.4	200G2-168.6	200G3-168.6	200G4-168.6
219,1	178,0	200G2-219.4	200G3-219.4	200G4-219.4	200G2-219.6	200G3-219.6	200G4-219.6
273	215,0	200G2-273.4	200G3-273.4	200G4-273.4	200G2-273.6	200G3-273.6	200G4-273.6



**Art. 230/G**

Croci ISO decapate  
 Iso expanding cross pickled


D	B	2 MM AISI 304 COD.ART.	3 MM AISI 304 COD.ART.	4 MM AISI 304 COD.ART.	2 MM AISI 316 COD.ART.	3 MM AISI 316 COD.ART.	4 MM AISI 316 COD.ART.
17,1	30,0	230G2-17.4	230G3-17.4	230G4-17.4	230G2-17.6	230G3-17.6	230G4-17.6
21,3	25,4	230G2-21.4	230G3-21.4	230G4-21.4	230G2-21.6	230G3-21.6	230G4-21.6
26,9	28,5	230G2-26.4	230G3-26.4	230G4-26.4	230G2-26.6	230G3-26.6	230G4-26.6
33,7	38,1	230G2-33.4	230G3-33.4	230G4-33.4	230G2-33.6	230G3-33.6	230G4-33.6
42,4	47,8	230G2-42.4	230G3-42.4	230G4-42.4	230G2-42.6	230G3-42.6	230G4-42.6
48,3	57,1	230G2-48.4	230G3-48.4	230G4-48.4	230G2-48.6	230G3-48.6	230G4-48.6
60,3	63,5	230G2-60.4	230G3-60.4	230G4-60.4	230G2-60.6	230G3-60.6	230G4-60.6
76,1	76,2	230G2-76.4	230G3-76.4	230G4-76.4	230G2-76.6	230G3-76.6	230G4-76.6
88,9	85,9	230G2-88.4	230G3-88.4	230G4-88.4	230G2-88.6	230G3-88.6	230G4-88.6
101,6	105,0	230G2-101.4	230G3-101.4	230G4-101.4	230G2-101.6	230G3-101.6	230G4-101.6
114,3	105,0	230G2-114.4	230G3-114.4	230G4-114.4	230G2-114.6	230G3-114.6	230G4-114.6
129	124,0	230G2-129.4	230G3-129.4	230G4-129.4	230G2-129.6	230G3-129.6	230G4-129.6
139,7	124,0	230G2-139.4	230G3-139.4	230G4-139.4	230G2-139.6	230G3-139.6	230G4-139.6
168,3	143,0	230G2-168.4	230G3-168.4	230G4-168.4	230G2-168.6	230G3-168.6	230G4-168.6
219,1	178,0	230G2-219.4	230G3-219.4	230G4-219.4	230G2-219.6	230G3-219.6	230G4-219.6
273	215,0	230G2-273.4	230G3-273.4	230G4-273.4	230G2-273.6	230G3-273.6	230G4-273.6



**Art. 240/G**

Tee ISO solo sboccati decapati  
 Gas welding tee pickled


D	B	2 MM AISI 304 COD.ART.	3 MM AISI 304 COD.ART.	4 MM AISI 304 COD.ART.	2 MM AISI 316 COD.ART.	3 MM AISI 316 COD.ART.	4 MM AISI 316 COD.ART.
21,3	25,4	240G2-21.4	240G3-21.4	240G4-21.4	240G2-21.6	240G3-21.6	240G4-21.6
26,9	28,5	240G2-26.4	240G3-26.4	240G4-26.4	240G2-26.6	240G3-26.6	240G4-26.6
33,7	38,1	240G2-33.4	240G3-33.4	240G4-33.4	240G2-33.6	240G3-33.6	240G4-33.6
42,4	47,8	240G2-42.4	240G3-42.4	240G4-42.4	240G2-42.6	240G3-42.6	240G4-42.6
48,3	57,1	240G2-48.4	240G3-48.4	240G4-48.4	240G2-48.6	240G3-48.6	240G4-48.6
60,3	63,5	240G2-60.4	240G3-60.4	240G4-60.4	240G2-60.6	240G3-60.6	240G4-60.6
76,1	76,2	240G2-76.4	240G3-76.4	240G4-76.4	240G2-76.6	240G3-76.6	240G4-76.6
88,9	85,9	240G2-88.4	240G3-88.4	240G4-88.4	240G2-88.6	240G3-88.6	240G4-88.6
101,6	105,0	240G2-101.4	240G3-101.4	240G4-101.4	240G2-101.6	240G3-101.6	240G4-101.6
114,3	105,0	240G2-114.4	240G3-114.4	240G4-114.4	240G2-114.6	240G3-114.6	240G4-114.6
129	124,0	240G2-129.4	240G3-129.4	240G4-129.4	240G2-129.6	240G3-129.6	240G4-129.6
139,7	124,0	240G2-139.4	240G3-139.4	240G4-139.4	240G2-139.6	240G3-139.6	240G4-139.6
168,3	143,0	240G2-168.4	240G3-168.4	240G4-168.4	240G2-168.6	240G3-168.6	240G4-168.6
219,1	178,0	240G2-219.4	240G3-219.4	240G4-219.4	240G2-219.6	240G3-219.6	240G4-219.6
273	215,0	240G2-273.4	240G3-273.4	240G4-273.4	240G2-273.6	240G3-273.6	240G4-273.6





**Art. 250/G**  
 Tee ridotti sboccati decapati ISO  
 ISO reducing tee extruder pickled

D	A	B	2 MM AISI 304		3 MM AISI 304		4 MM AISI 304		2 MM AISI 316		3 MM AISI 316		4 MM AISI 316	
			COD.ART.		COD.ART.		COD.ART.		COD.ART.		COD.ART.		COD.ART.	
21,3	17,2	25,40	250G2-21/17.4		250G3-21/17.4		250G4-21/17.4		250G2-21/17.6		250G3-21/17.6		250G4-21/17.6	
26,9	17,2	28,50	250G2-26/17.4		250G3-26/17.4		250G4-26/17.4		250G2-26/17.6		250G3-26/17.6		250G4-26/17.6	
			250G2-26/21.4		250G3-26/21.4		250G4-26/21.4		250G2-26/21.6		250G3-26/21.6		250G4-26/21.6	
33,7	17,2	38,10	250G2-33/17.4		250G3-33/17.4		250G4-33/17.4		250G2-33/17.6		250G3-33/17.6		250G4-33/17.6	
			250G2-33/21.4		250G3-33/21.4		250G4-33/21.4		250G2-33/21.6		250G3-33/21.6		250G4-33/21.6	
42,4	17,2	47,80	250G2-42/17.4		250G3-42/17.4		250G4-42/17.4		250G2-42/17.6		250G3-42/17.6		250G4-42/17.6	
			250G2-42/21.4		250G3-42/21.4		250G4-42/21.4		250G2-42/21.6		250G3-42/21.6		250G4-42/21.6	
48,3	21,3	57,10	250G2-48/17.4		250G3-48/17.4		250G4-48/17.4		250G2-48/17.6		250G3-48/17.6		250G4-48/17.6	
			250G2-48/21.4		250G3-48/21.4		250G4-48/21.4		250G2-48/21.6		250G3-48/21.6		250G4-48/21.6	
60,3	21,3	63,50	250G2-60/17.4		250G3-60/17.4		250G4-60/17.4		250G2-60/17.6		250G3-60/17.6		250G4-60/17.6	
			250G2-60/21.4		250G3-60/21.4		250G4-60/21.4		250G2-60/21.6		250G3-60/21.6		250G4-60/21.6	
76,1	21,3	76,20	250G2-76/17.4		250G3-76/17.4		250G4-76/17.4		250G2-76/17.6		250G3-76/17.6		250G4-76/17.6	
			250G2-76/21.4		250G3-76/21.4		250G4-76/21.4		250G2-76/21.6		250G3-76/21.6		250G4-76/21.6	
88,9	21,3	85,90	250G2-88/17.4		250G3-88/17.4		250G4-88/17.4		250G2-88/17.6		250G3-88/17.6		250G4-88/17.6	
			250G2-88/21.4		250G3-88/21.4		250G4-88/21.4		250G2-88/21.6		250G3-88/21.6		250G4-88/21.6	
101,6	21,3	105,0	250G2-101/17.4		250G3-101/17.4		250G4-101/17.4		250G2-101/17.6		250G3-101/17.6		250G4-101/17.6	
			250G2-101/21.4		250G3-101/21.4		250G4-101/21.4		250G2-101/21.6		250G3-101/21.6		250G4-101/21.6	
114,3	21,3	105,0	250G2-114/17.4		250G3-114/17.4		250G4-114/17.4		250G2-114/17.6		250G3-114/17.6		250G4-114/17.6	
			250G2-114/21.4		250G3-114/21.4		250G4-114/21.4		250G2-114/21.6		250G3-114/21.6		250G4-114/21.6	
139,7	21,3	124,0	250G2-139/17.4		250G3-139/17.4		250G4-139/17.4		250G2-139/17.6		250G3-139/17.6		250G4-139/17.6	
			250G2-139/21.4		250G3-139/21.4		250G4-139/21.4		250G2-139/21.6		250G3-139/21.6		250G4-139/21.6	
168,3	21,3	143,0	250G2-168/17.4		250G3-168/17.4		250G4-168/17.4		250G2-168/17.6		250G3-168/17.6		250G4-168/17.6	
			250G2-168/21.4		250G3-168/21.4		250G4-168/21.4		250G2-168/21.6		250G3-168/21.6		250G4-168/21.6	
219,1	21,3	178,0	250G2-219/17.4		250G3-219/17.4		250G4-219/17.4		250G2-219/17.6		250G3-219/17.6		250G4-219/17.6	
			250G2-219/21.4		250G3-219/21.4		250G4-219/21.4		250G2-219/21.6		250G3-219/21.6		250G4-219/21.6	
273	21,3	215,0	250G2-273/17.4		250G3-273/17.4		250G4-273/17.4		250G2-273/17.6		250G3-273/17.6		250G4-273/17.6	
			250G2-273/21.4		250G3-273/21.4		250G4-273/21.4		250G2-273/21.6		250G3-273/21.6		250G4-273/21.6	



**Art. 260/G**  
**Croci ridotte saldate decapate ISO**  
**Reduced crosses ISO pickled**

D	A	B	2 MM AISI 304		3 MM AISI 304		4 MM AISI 304		2 MM AISI 316		3 MM AISI 316		4 MM AISI 316	
			COD.ART.		COD.ART.		COD.ART.		COD.ART.		COD.ART.		COD.ART.	
21,3	17,2	25,40	260G2-21/17.4	260G4-21/17.4	260G3-21/17.4	260G4-21/17.4	260G2-21/17.4	260G3-21/17.4	260G2-21/17.6	260G3-21/17.6	260G4-21/17.6	260G2-21/17.6	260G3-21/17.6	260G4-21/17.6
26,9	17,2	28,50	260G2-26/17.4	260G4-26/17.4	260G3-26/17.4	260G4-26/17.4	260G2-26/17.4	260G3-26/17.4	260G2-26/17.6	260G3-26/17.6	260G4-26/17.6	260G2-26/17.6	260G3-26/17.6	260G4-26/17.6
			260G2-26/21.4	260G4-26/21.4	260G3-26/21.4	260G4-26/21.4	260G2-26/21.6	260G3-26/21.6	260G4-26/21.6	260G2-26/21.6	260G3-26/21.6	260G4-26/21.6	260G2-26/21.6	260G3-26/21.6
33,7	17,2	38,10	260G2-33/17.4	260G4-33/17.4	260G3-33/17.4	260G4-33/17.4	260G2-33/17.4	260G3-33/17.4	260G2-33/17.6	260G3-33/17.6	260G4-33/17.6	260G2-33/17.6	260G3-33/17.6	260G4-33/17.6
			260G2-33/21.4	260G4-33/21.4	260G3-33/21.4	260G4-33/21.4	260G2-33/21.6	260G3-33/21.6	260G4-33/21.6	260G2-33/21.6	260G3-33/21.6	260G4-33/21.6	260G2-33/21.6	260G3-33/21.6
42,4	17,2	47,80	260G2-42/17.4	260G4-42/17.4	260G3-42/17.4	260G4-42/17.4	260G2-42/17.4	260G3-42/17.4	260G2-42/17.6	260G3-42/17.6	260G4-42/17.6	260G2-42/17.6	260G3-42/17.6	260G4-42/17.6
			260G2-42/21.4	260G4-42/21.4	260G3-42/21.4	260G4-42/21.4	260G2-42/21.6	260G3-42/21.6	260G4-42/21.6	260G2-42/21.6	260G3-42/21.6	260G4-42/21.6	260G2-42/21.6	260G3-42/21.6
48,3	21,3	57,10	260G2-48/17.4	260G4-48/17.4	260G3-48/17.4	260G4-48/17.4	260G2-48/17.4	260G3-48/17.4	260G2-48/17.6	260G3-48/17.6	260G4-48/17.6	260G2-48/17.6	260G3-48/17.6	260G4-48/17.6
			260G2-48/21.4	260G4-48/21.4	260G3-48/21.4	260G4-48/21.4	260G2-48/21.6	260G3-48/21.6	260G4-48/21.6	260G2-48/21.6	260G3-48/21.6	260G4-48/21.6	260G2-48/21.6	260G3-48/21.6
60,3	21,3	63,50	260G2-60/17.4	260G4-60/17.4	260G3-60/17.4	260G4-60/17.4	260G2-60/17.4	260G3-60/17.4	260G2-60/17.6	260G3-60/17.6	260G4-60/17.6	260G2-60/17.6	260G3-60/17.6	260G4-60/17.6
			260G2-60/21.4	260G4-60/21.4	260G3-60/21.4	260G4-60/21.4	260G2-60/21.6	260G3-60/21.6	260G4-60/21.6	260G2-60/21.6	260G3-60/21.6	260G4-60/21.6	260G2-60/21.6	260G3-60/21.6
76,1	21,3	76,20	260G2-76/17.4	260G4-76/17.4	260G3-76/17.4	260G4-76/17.4	260G2-76/17.4	260G3-76/17.4	260G2-76/17.6	260G3-76/17.6	260G4-76/17.6	260G2-76/17.6	260G3-76/17.6	260G4-76/17.6
			260G2-76/21.4	260G4-76/21.4	260G3-76/21.4	260G4-76/21.4	260G2-76/21.6	260G3-76/21.6	260G4-76/21.6	260G2-76/21.6	260G3-76/21.6	260G4-76/21.6	260G2-76/21.6	260G3-76/21.6
88,9	21,3	85,90	260G2-88/17.4	260G4-88/17.4	260G3-88/17.4	260G4-88/17.4	260G2-88/17.4	260G3-88/17.4	260G2-88/17.6	260G3-88/17.6	260G4-88/17.6	260G2-88/17.6	260G3-88/17.6	260G4-88/17.6
			260G2-88/21.4	260G4-88/21.4	260G3-88/21.4	260G4-88/21.4	260G2-88/21.6	260G3-88/21.6	260G4-88/21.6	260G2-88/21.6	260G3-88/21.6	260G4-88/21.6	260G2-88/21.6	260G3-88/21.6
101,6	21,3	105,0	260G2-101/17.4	260G4-101/17.4	260G3-101/17.4	260G4-101/17.4	260G2-101/17.4	260G3-101/17.4	260G2-101/17.6	260G3-101/17.6	260G4-101/17.6	260G2-101/17.6	260G3-101/17.6	260G4-101/17.6
			260G2-101/21.4	260G4-101/21.4	260G3-101/21.4	260G4-101/21.4	260G2-101/21.6	260G3-101/21.6	260G4-101/21.6	260G2-101/21.6	260G3-101/21.6	260G4-101/21.6	260G2-101/21.6	260G3-101/21.6
114,3	21,3	105,0	260G2-114/17.4	260G4-114/17.4	260G3-114/17.4	260G4-114/17.4	260G2-114/17.4	260G3-114/17.4	260G2-114/17.6	260G3-114/17.6	260G4-114/17.6	260G2-114/17.6	260G3-114/17.6	260G4-114/17.6
			260G2-114/21.4	260G4-114/21.4	260G3-114/21.4	260G4-114/21.4	260G2-114/21.6	260G3-114/21.6	260G4-114/21.6	260G2-114/21.6	260G3-114/21.6	260G4-114/21.6	260G2-114/21.6	260G3-114/21.6
139,7	21,3	124,0	260G2-139/17.4	260G4-139/17.4	260G3-139/17.4	260G4-139/17.4	260G2-139/17.4	260G3-139/17.4	260G2-139/17.6	260G3-139/17.6	260G4-139/17.6	260G2-139/17.6	260G3-139/17.6	260G4-139/17.6
			260G2-139/21.4	260G4-139/21.4	260G3-139/21.4	260G4-139/21.4	260G2-139/21.6	260G3-139/21.6	260G4-139/21.6	260G2-139/21.6	260G3-139/21.6	260G4-139/21.6	260G2-139/21.6	260G3-139/21.6
168,3	21,3	143,0	260G2-168/17.4	260G4-168/17.4	260G3-168/17.4	260G4-168/17.4	260G2-168/17.4	260G3-168/17.4	260G2-168/17.6	260G3-168/17.6	260G4-168/17.6	260G2-168/17.6	260G3-168/17.6	260G4-168/17.6
			260G2-168/21.4	260G4-168/21.4	260G3-168/21.4	260G4-168/21.4	260G2-168/21.6	260G3-168/21.6	260G4-168/21.6	260G2-168/21.6	260G3-168/21.6	260G4-168/21.6	260G2-168/21.6	260G3-168/21.6
219,1	21,3	178,0	260G2-219/17.4	260G4-219/17.4	260G3-219/17.4	260G4-219/17.4	260G2-219/17.4	260G3-219/17.4	260G2-219/17.6	260G3-219/17.6	260G4-219/17.6	260G2-219/17.6	260G3-219/17.6	260G4-219/17.6
			260G2-219/21.4	260G4-219/21.4	260G3-219/21.4	260G4-219/21.4	260G2-219/21.6	260G3-219/21.6	260G4-219/21.6	260G2-219/21.6	260G3-219/21.6	260G4-219/21.6	260G2-219/21.6	260G3-219/21.6
273	21,3	215,0	260G2-273/17.4	260G4-273/17.4	260G3-273/17.4	260G4-273/17.4	260G2-273/17.4	260G3-273/17.4	260G2-273/17.6	260G3-273/17.6	260G4-273/17.6	260G2-273/17.6	260G3-273/17.6	260G4-273/17.6
			260G2-273/21.4	260G4-273/21.4	260G3-273/21.4	260G4-273/21.4	260G2-273/21.6	260G3-273/21.6	260G4-273/21.6	260G2-273/21.6	260G3-273/21.6	260G4-273/21.6	260G2-273/21.6	260G3-273/21.6

